

BALLARD DESIGNS.



PRODUCT NAME: Millstone Counter Height Table

ITEM NUMBER: SL168

ASSEMBLED DIMENSIONS: 37 1/4"H x 48"W x 30"D



PRODUCTS ARE NOT INTENDED FOR COMMERCIAL USE. UPDATED: 9-24-2020

MADE IN CHINA Page 1 of 4

H Hardware Located Here (A~F) -Tw

REQUIRED TOOLS: Allen Wrench (included), *Phillips Screwdriver

-Two person assembly suggested.

Remove all parts, hardware and protective packaging from carton and carefully arrange on a clean, level, padded surface.

Ltr.	Qty.	Hardware Included
А	8	Flat Washers
В	8	Lock Washers
С	8	5/16" x 2" Allen Bolts
D	1	M5 Allen Wrench
Е	2	O
F	4	*8mm Wood Screws

^{*}For connecting optional Millstone Kitchen Island (SK082). Sold Separately. See Page 4 for assembly details.

Ltr.	Qty.	Components		
G	1	Top (G)		
Н	4	Legs (H)		



Cleaning and Care

Avoid harsh or abrasive chemicals as finish damage may result.

Use coasters, trivets, place mats to protect surfaces. Promply remove spills.


Dust with a soft, dry cloth.




Customer Service: 800-367-2810 Online: www.ballarddesigns.com

Assemble in location for intended use.

STEP 1: Carefully invert Top (G) onto a level, padded surface then postion a leg into each corner as illustrated. Insert Allen Bolt (C) with Lock Washer (B) and Flat Washer (A). Fully tighten using Allen Wrench (D). Carefully turn assembled Table upright onto Legs.



LEVELERS: Table is equipped with Rotary Levelers installed under each Leg. If necessary, Table may be adjusted by carefully lifting applicable corner and turning Leveler clockwise/counterclockwise.



Assemble in location for intended use.

OPTIONAL: Connecting Millstone Kitchen Island (SK082) to Millstone Counter Height Table (SL168)

STEP 1: Follow Assembly Instructions for Table and fully assemble before proceeding.

NOTE: Assemble Table in area with Kitchen Island.


STEP 2: Place Kitchen Island in location for use. Slide assembled Table against one end and align edges. NOTE: Levelers may need adjustment in order to align Table/Island Surfaces.

STEP 3: With Table and Island aligned and completely pushed together, place Connector Plates (E) over seams between the two on both outer edges. Insert and fully tighten Wood Screws (F).



CAUTION

Remove Connector Plates and Screws before moving assembled Table/Island. Plates and Screws may be permanently damaged.



Customer Service: 800-367-2810 Online: www.ballarddesigns.com